LITBLOCKS





PRODUCT DESCRIPTION

TheMobile Light Boxsystem powered by SEGO seamlessly integrates cutting-edge technology with user-friendly design. Boasting a toolless assembly down to its foundation, Mobile Light Box is crafted to enhance your display experience. Magnetic electrical connectors illuminate the pre-installed UL certified LED lights within the profiles, ensuring a sleek appearance with concealed wires. The aluminum frame supports edge-to-edge customizable SEG backlit fabric graphics on both the front and back. Beyond its visual appeal, Mobile Light Box is portable, modular, and highly coveted, setting it apart from other lightboxes. Every detail has been meticulously considered, right down to the durable foam-cut carry bag, which is uniquely designed to safeguard and organize all components.

DISPLAY DIMENSIONS MLB 100 x 100 cm (39.37" x 39.37")

DISPLAY CONSTRUCTION

Aluminum extrusion framewith plasticcomponents

GRAPHIC MATERIAL

DyeSubBacklitFabric

GRAPHIC FINISHING

Siliconebeadingsewnontoedge of graphic

SHIPPING WEIGHTS & DIMENSIONS

MLB 100 x 100 COUNTER	49 x 14 x 8	34.0 lbs.

LED LIGHT SPECIFICATION

BRAND Osram	
POWER 3W	
CCT (COLOR TEMP)6800k	
AVERAGE BEAM ANGEL20 °	
LM/W 130	
AVG LM/M²4800-5800	
VOLTAGE INPUT24V	

LUMENS

VOLTAGE (V)	24
POWER (W)	42
LM/W	130
TOTAL LM	5460
AVG LM	5850
CU	.8
EAV	4680

TRANSFORMER SPECIFICATION


POWER RATE	
TRANSFORMER60W (1 pcs)	
CERTIFICATESUL, CE, GEM	
VOLTAGE INPUT100-240V	
VOLTAGE OUTPUT24V	



TOOL FREE CONNECTION



MAGNETIC WIRE CONNECTION



CLEAN CABLE MANAGEMENT



TOOL FREE FOOT CONNECTION

LITBLOCKS

PARTS LIST



Horizontal Profile B x1




Horizontal Profile T x1



Vertical Profile x2



Counter Top x1



Foot x2



S- Cable x1




Transformer x1


LITBLOCKS

SET UP INSTRUCTIONS

①




②




LITBLOCKS

③



④



LITBLOCKS

⑤

